
■ **Bilgi / Information**

- Minimum kapı genişliği 976 mm olmalıdır.
- Min. Door width 976 mm




■ Yavaşlatıcı Alternatifi / Soft Closer Alternative

- Sistem üzerinde çift yöne yavaşlatıcı mevcuttur.
- The system has two way soft closing.


127-0262 1 Set İçeriği / 1 Set Includes




■ 127-0261 1 Takım İçeriği (Opsiyonel Ek Kapı) / 1 Kit Includes (Optional Additional Door)



■ Ray Profilleri / Rail Profiles




■ Teknik Detay / Technical Detail



Kod / Code No	Açıklama / Description	Renk / Colour	Birim / Unit			Profil mt. / Profiles mt.			Bağ / Bnd.
127-0262-1600	MultiDoor 262 Teleskopik Sürme Kapı Sistemi / Telescopic Sliding Door System	Gri / Grey	2 Kapı / 1 Set	12	216	-	-	-	-
127-0261-1600	MultiDoor 261 İlave Kapı Sistemi / Additional Door System	Gri / Grey	1 Kapı / 1 Kit	8	400	-	-	-	-
127-0152-1300-510	İlave Çelik Halat / Additional Wire Rope	Gri / Grey	mt.	-	-	-	-	-	-
150-9750-1400	Alüminyum Üst Ray Profili / Aluminium Top Rail Profile	Pres / Uncoated	mt.	-	-	2,0	3,0	6,0	2 ad/pcs
150-9162-1410	Alüminyum Alt Klavuz Profili / Aluminium Bottom Slider Profile	Eloksal / Mat Anodized	mt.	-	-	-	3,0	6,0	20 ad/pcs
150-9765-1410	Alüminyum Alın Kapama / Aluminium Cover Front	Eloksal / Mat Anodized	mt.	-	-	2,0	3,0	6,0	2 ad/pcs

Teknik Detay / Technical Detail



Teknik Detay / Technical Detail

